






Battery Relays (BR Series)







BATTERY RELAYS

| New-Era No. | Ref.No. | Application |
|--|---------|---|
| <p>BR-153 12V</p>  <p>⊖ Cut BS-1 AE</p> | | <p>KOMATSU KOMATSU INTERNATIONAL MITSUBI ZOSEN NIIGATA TEKKO INDUSTRIAL USE</p> |
| <p>BR-155 12V</p>  <p>⊕ Cut</p> | | <p>KOMATSU KOMATSU INTERNATIONAL INDUSTRIAL USE</p> |
| <p>BR-159 12V</p>  <p>⊕ Cut BS2-121</p> | | <p>UNIVERSAL</p> |
| <p>BR-160 12V</p>  <p>⊕ Cut BS2-141</p> | | <p>UNIVERSAL</p> |

BATTERY RELAYS

| New-Era No. | Ref.No. | Application |
|--|---|---|
| BR-161  12V ⊕ Cut | 25230-C6400 | NISSAN 62~68 |
| BR-162  12V ⊕ Cut | 8970261600 | ISUZU 62~68 |
| BR-253  24V ⊖ Cut | 8279-0008 8279-0018 8279-0021 8279-0033 8279-0043 BS-E, AE | ISUZU BUS, TRUCK TX541, 542, 552 BR351, 751 BA74T, BC161 62~68 |
| BR-257  24V ⊕ Cut | 60713-50450 60713-50451 BS-L AE | HINO TRUCK KC320, KF721, KM300, TC311, ZM711 69~72 |





BATTERY RELAYS

| New-Era No. | Ref.No. | Application |
|--|---|---|
| BR-259  24V ⊕ Cut | 25613-90008 BS-N AE | NISSAN(DIESEL) UD TRUCK 6TWCTC80/81 69~ |
| BR-261  24V ⊕ Cut | 8279-0052 8279-0055 8279-0065 BS-H AE Q AE | ISUZU BUS, TRUCK BH20P, TX, TD 69~72 |
| BR-262  24V ⊕ Cut | 8255-0008 60713-52330 BS-262 AE | ISUZU TRUCK TX, TD 73~ |
| BR-263  24V ⊕ Cut | 8255-0009 | ISUZU BUS, TRUCK TX, TD, BU 73~ |

BATTERY RELAYS

| New-Era No. | Ref.No. | Application |
|--|----------------------------|---|
| BR-264 24V  ⊕ Cut BS-264 AE | 8255-0012 | ISUZU TRUCK TX, TD 73~ New-Era® New-Era® |
| BR-265 24V  ⊕ Cut BS-312 AE | 25613-Z2000 25613-Z2002 | NISSAN (DIESEL) UD TRUCK 79~ New-Era® New-Era® |
| BR-266 24V  ⊖ Cut | 08088-10000 | KOMATSU New-Era® New-Era® |
| BR-268 24V  ⊕ Cut BS662-1 | 25613-90016 | NISSAN New-Era® New-Era® |

BATTERY RELAYS


| New-Era No. | Ref.No. | Application |
|---|--|------------------------|
| BR-270 24V  | 8-94379543-0 8-94379543-1 X4255762 | ISUZU HITACHI |
| ⊕ Cut BR-271 24V  | BS982 25510-Z6000 | NISSAN |
| ⊕ Cut BR-621 24V  | BS-082-2 | KOMATSU BR-262 TYPE |
| ⊕ Cut BR-630 24V  | ⊕ Cut | KOMATSU BR-262 TYPE |

BATTERY RELAYS

BATTERY RELAYS

| New-Era No. | Ref.No. | Application |
|--|---------|--|
| <p>BR-631 24V</p>  <p>⊕ Cut</p> | | <p>KOMATSU BR-265 TYPE</p> <p>New-Era®</p> <p>New-Era®</p> |
| <p>BR-632 24V</p>  <p>⊕ Cut</p> | | <p>KOMATSU</p> <p>New-Era®</p> <p>New-Era®</p> |
| <p>BR-633 24V</p>  <p>⊕ Cut</p> | | <p>KOBELCO</p> <p>New-Era®</p> <p>New-Era®</p> |
| <p>BR-670 24V</p>  <p>⊕ Cut</p> | | <p>KOMATSU KOBELCO</p> <p>New-Era®</p> <p>New-Era®</p> |

BATTERY RELAYS



| New-Era No. | Cut | Rated Voltage | | Rated Current | | Insulator on bracket | Shape of main terminal | Type of circuit | Remarks |
|-------------|-----|---------------|----------|----------------|------------|----------------------|------------------------|-----------------|---------------------------------|
| | | Starting | Charging | Within 0.1sec. | Continuous | | | | |
| BR-153 | - | 12V | 14V | 1000A | 40A | without | A | 1 | |
| BR-155 | + | 12V | 14V | 1000A | 40A | without | A | 2 | |
| BR-159 | + | 12V | 14V | 1000A | 100A | with | B | 6 | |
| BR-160 | + | 12V | 14V | 1000A | 100A | with | B | 4 | |
| BR-161 | + | 12V | 14V | 1000A | 100A | with | C | 6 | |
| BR-162 | + | 12V | 14V | 1000A | 100A | with | C | 4 | |
| BR-253 | - | 24V | 28V | 1000A | 120A | without | A | 1 | |
| BR-257 | + | 24V | 28V | 1000A | 120A | without | A | 3 | |
| BR-259 | + | 24V | 28V | 1000A | 35A | without | C | 2 | |
| BR-261 | + | 24V | 28V | 1000A | 120A | with | B | 2 | |
| BR-262 | + | 24V | 28V | 1000A | 35A | with | B | 4 | one lead wire on coil terminal |
| BR-263 | + | 24V | 28V | 1000A | 35A | with | B | 4 | two lead wires on coil terminal |
| BR-264 | + | 24V | 28V | 1000A | 35A | with | B | 4 | no lead wire on coil terminal |
| BR-265 | + | 24V | 28V | 1000A | 35A | with | C | 6 | |
| BR-266 | + | 24V | 28V | 1000A | 35A | without | A | 8 | |
| BR-268 | + | 24V | 28V | 1000A | 100A | with | C | 6 | High bracket type |
| BR-270 | + | 24V | 28V | 1000A | 100A | with | C | 4 | |
| BR-271 | + | 24V | 28V | 1000A | 100A | with | C | 6 | |
| BR-621 | + | 24V | 28V | 1500A | 120A | with | B | 7 | |
| BR-630 | + | 24V | 28V | 1000A | 100A | with | B | 5 | |
| BR-631 | + | 24V | 28V | 1000A | 100A | with | C | 5 | |
| BR-632 | + | 24V | 28V | 1000A | 120A | with | B | 9 | |
| BR-633 | + | 24V | 28V | 1000A | 120A | with | C | 9 | |
| BR-670 | + | 24V | 28V | 1000A | 120A | with | B | 10 | |


BATTERY RELAYS

BATTERY RELAYS


New-Era®

BATTERY RELAYS

SHAPE OF MAIN TERMINAL



TYPE OF CIRCUIT



BATTERY RELAYS